

**Table 901-6 Acceptance and Payment Schedules Structural Concrete (10/19):**

901.13 Table 901-6 Acceptance and Payment Schedules Structural Concrete is deleted and replaced with the following:

**Table 901-6  
Acceptance and Payment Schedules  
Structural Concrete**

Surface Resistivity per Lot, kΩ-cm (28 to 31 days) <sup>3</sup>	
Class A1, A2, A3, S, P1, P2, P3, & MASS(A1,A2,A3)	Percent of Contract Price <sup>2</sup>
22.0 & above	100
20.0 - 21.9	98
18.0 - 19.9	90
below 18.0	50 or remove and replace <sup>1</sup>
<p><sup>1</sup>When the average surface resistivity is less than 18.0 kΩ - cm, an investigation will be made. If concrete is allowed to remain in place by the Chief Engineer, payment will be based on 50 percent of the contract price. Any cores obtained in these investigations are for evaluation purposes only. Payment will be based on original acceptance samples.</p> <p><sup>2</sup>When concrete is part of an item or not a direct pay item, the value for each cubic yard of concrete required will be assessed at \$350 for the purpose of applying payment adjustment percentages. The amount of payment adjustment for the quantity of concrete involved will be deducted from payment.</p> <p><sup>3</sup>Surface resistivity for A2, A3, MASS(A2), and MASS(A3) shall be taken at 56 to 59 days.</p>	